


Orchidea
★ 879 AR preziosi



Catalogue

**20
25**

2025 - v.1



ITALIAN MANUFACTURER OF GOLD AND SILVER FINDINGS

www.orchideapreziosi.it

“We are looking to the future with both optimism and farsightedness,
made strong by the values that have distinguished us and by the necessary
technological know-how required to stand out in the latest market challenges”.

-

“Stiamo guardando al futuro con ottimismo e lungimiranza, forti dei valori che ci
contraddistinguono e con il Know-how tecnologico necessario per eccellere nelle
nuove sfide che il mercato ci propone”

Orchidea Preziosi S.p.A.



METAL ---→			AU		AU		AU		AU		AU		AG	
KARAT ---→			917 875 800		750		585		417		375		333 925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Rectangular clasps

	CH00	7.1x2.7	0,30		0,26		0,22		0,19		0,19		0,19		---
	CH0	8.3x3.2	0,38		0,33		0,28		0,24		0,24		0,23		0,22
	CH1	9.7x3.8	0,62		0,54		0,46		0,40		0,39		0,38		0,37
	CH2	11.6x4.3	0,88		0,76		0,64		0,56		0,55		0,54		0,52
	CH3	13.6x5.2	1,30		1,11		0,95		0,82		0,81		0,79		0,77
	CH4	16x6.2	2,15		1,84		1,57		1,36		1,34		1,31		1,27
	CH6	15.3x7.2	2,65		2,27		1,94		1,68		1,65		1,62		1,57
	CH8	18.1x9	4,28		3,67		3,13		2,72		2,67		2,62		2,54

Pear shape clasps

	CH19	7.1X4.1	0,30		0,26		0,22		0,19		0,19		0,18		0,18
	CH20	8x4.5	0,40		0,34		0,29		0,25		0,25		0,24		0,24
	CH21	8.7x5	0,51		0,44		0,39		0,34		0,33		0,33		0,32
	CH22	10.4x6	0,87		0,75		0,64		0,55		0,54		0,53		0,52
	CH23	12.1x7	1,25		1,07		0,91		0,79		0,78		0,76		0,74

Drop shape clasps

	CH1G	9.7x3.8	0,58		0,50		0,43		0,37		0,36		0,36		0,35
	CH2G	11.6x4.3	0,88		0,75		0,64		0,55		0,54		0,53		0,52

Open jump rings

	MX00	0.7x1.7	0,06		0,05		0,04		0,04		0,04		0,04		0,03
	MX0	0.8x2	0,06		0,06		0,05		0,04		0,04		0,04		0,04
	MX1	0.9x2.3	0,11		0,10		0,08		0,07		0,07		0,07		0,07
	MX2	1x2.6	0,15		0,13		0,11		0,10		0,10		0,09		0,09
	MX3	1x3	0,18		0,15		0,13		0,11		0,11		0,11		0,11
	MX4	1.2x3.6	0,29		0,25		0,21		0,18		0,18		0,18		0,17

METAL	---	→	AU		AU		AU		AU		AU		AU		AG	
KARAT	---	→	917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Rectangular Clasps

	CH00MM	7,1x2,7	0,36		0,31		0,26		0,23		0,22		0,22		----	
	CH0MM	8.3x3.2	0,45		0,38		0,33		0,28		0,28		0,27		0,26	
	CH1MM	9.7x3.8	0,74		0,63		0,54		0,47		0,46		0,45		0,43	
	CH2MM	11.6x4.3	1,02		0,89		0,76		0,66		0,62		0,61		0,59	
	CH3MM	13.6x5.2	1,49		1,26		1,08		0,94		0,91		0,89		0,86	
	CH4MM	16x6.2	2,46		2,09		1,78		1,55		1,52		1,49		1,44	
	CH6MM	15.3x7.2	2,96		2,52		2,15		1,87		1,83		1,79		1,74	
	CH8MM	18.1x9	4,59		3,92		3,34		2,91		2,85		2,79		2,71	

Pear Shape Clasps

	CH19MM	7.1x4.1	0,36		0,31		0,26		0,23		0,22		0,22		0,21	
	CH20MM	8x4.5	0,47		0,40		0,35		0,29		0,29		0,28		0,27	
	CH21MM	8.7x5	0,63		0,54		0,47		0,41		0,40		0,39		0,38	
	CH22MM	10.4x6	1,01		0,88		0,75		0,66		0,62		0,61		0,59	
	CH23MM	12.1x7	1,44		1,22		1,04		0,91		0,88		0,86		0,83	

Drop Shape Clasps

	CH1GMM	9.7x3.8	0,65		0,60		0,51		0,45		0,43		0,42		0,39	
	CH2GMM	11.6x4.3	0,96		0,88		0,75		0,66		0,61		0,60		0,59	

METAL	---	→	AU		AU		AU		AU		AU		AU		AG	
KARAT	---	→	917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Light Spring Rings - N -

	AM4.5LMN	4.5	0,086		0,074		0,065		0,060		0,055		0,049		----	
	AM5LMN	5	0,105		0,093		0,077		0,073		0,069		0,063		0,054	

Spring Rings - N -

	AM5MN	5	0,180		0,155		0,131		0,122		0,115		0,105		0,111	
	AM5.5MN	5.5	0,223		0,193		0,160		0,151		0,142		0,130		0,135	
	AM6MN	6	0,271		0,239		0,203		0,185		0,179		0,163		0,165	

Light Spring Rings - P -

	AM4.5LMP	4.5	0,086		0,074		0,065		0,060		0,055		0,049		----	
	AM5LMP	5	0,105		0,093		0,077		0,073		0,069		0,063		0,054	

Spring Rings - P -

	AM5MP	5	0,180		0,155		0,131		0,122		0,115		0,105		0,111	
	AM5.5MP	5.5	0,223		0,193		0,160		0,151		0,142		0,130		0,135	
	AM6MP	6	0,271		0,239		0,203		0,185		0,179		0,163		0,165	

LOCKS

METAL			- - - →		AU		AU		AU		AU		AU		AG			
KARAT			- - - →		917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Flat end caps

	T1	5.2x1	0,05	0,04	0,03	0,03	0,03	0,03	0,03
	T1,5	5.4x1.5	0,07	0,06	0,05	0,04	0,04	0,04	0,04
	T2	5.7x2	0,12	0,10	0,09	0,07	0,07	0,07	0,07
	T2,5	5.7x2.5	0,14	0,12	0,10	0,09	0,09	0,09	0,08
	T3	6.2x3	0,16	0,14	0,12	0,10	0,10	0,10	0,10
	T3,5	6.6x3.5	0,21	0,18	0,15	0,13	0,13	0,13	0,12
	T4	7.1x4	0,27	0,23	0,20	0,17	0,17	0,16	0,16
	T5	8.2x5	0,37	0,32	0,27	0,24	0,23	0,23	0,22
	T6	8.8x6	0,42	0,36	0,31	0,27	0,26	0,26	0,25
	T7	9.5x7	0,51	0,44	0,38	0,33	0,32	0,31	0,30
	T8	8.5x8	0,57	0,49	0,42	0,36	0,36	0,35	0,34
T8,5	7.8x8,5	0,48	0,41	0,35	0,30	0,30	0,29	0,28	
T9	9.3x9	0,64	0,55	0,47	0,41	0,40	0,39	0,38	
T10	9.72x10	0,76	0,65	0,55	0,48	0,47	0,46	0,45	

Round end caps

	TT1,2	5.2x1.2	0,09		0,08		0,07		0,06		0,06		0,06	
	TT1,5	5.4x1.5	0,12		0,10		0,09		0,07		0,07		0,07	
	TT1,8	5.5x1.8	0,15		0,13		0,11		0,09		0,09		0,09	
	TT2	5.7x2	0,15		0,13		0,11		0,10		0,09		0,09	
	TT2,5	6.7x2.5	0,20		0,17		0,15		0,13		0,12		0,12	
	TT3	7.9x3	0,27		0,23		0,20		0,17		0,17		0,16	
	TT3,5	9.5x3.5	0,35		0,30		0,26		0,22		0,22		0,21	
	TT4	8.3x4	0,41		0,35		0,30		0,26		0,25		0,25	
	TT5	7.1x5	0,48		0,41		0,35		0,30		0,30		0,29	

Convex end caps

	FBR3,5	5.9x3.5	0,26		0,22		0,19		0,16		0,16		0,16	
	FBR4	6.6x4	0,27		0,23		0,20		0,17		0,17		0,16	
	FBR4,5	7.1x4.5	0,32		0,27		0,23		0,20		0,20		0,19	
	FBR5	7.9x5	0,36		0,31		0,26		0,23		0,23		0,22	
	FBR6	7.3x6	0,44		0,38		0,32		0,28		0,28		0,27	
	FBR7	7.7x7	0,57		0,49		0,42		0,36		0,36		0,35	

Round&conv end caps

	FBT3.5	5.7x3.5	0,13	0,11	0,09	0,08	0,08	0,08	0,08
	FBT4	6.2x4	0,23	0,20	0,17	0,15	0,15	0,14	0,14
	FBT5	7.3x5	0,36	0,31	0,26	0,23	0,23	0,22	0,21
	FBT6	8.6x6	0,41	0,35	0,30	0,26	0,25	0,25	0,24
	FBT7	9.4x7	0,56	0,48	0,41	0,36	0,35	0,34	0,33

Stripped&conv end caps

	TNR7	7x7.8	0,48		0,41		0,35		0,30		0,30		0,29	
	TNR8	8x8.7	0,64		0,55		0,47		0,41		0,40		0,39	
	TNR9	9x11	1,11		0,95		0,81		0,70		0,69		0,68	
	TNR10	10x10	1,45		1,24		1,06		0,92		0,90		0,89	
	TNR11	11x11	1,45		1,24		1,06		0,92		0,90		0,89	
	TNR12	12x11.2	1,65		1,41		1,20		1,04		1,02		1,00	
	TNR14	15x12.5	1,98		1,65		1,41		1,26		1,23		1,21	
	TNR16	17x13	2,16		1,85		1,58		1,37		1,34		1,32	

METAL			- - - →		AU		AU		AU		AU		AU		AG			
KARAT			- - - →		917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Quality Tags

	BO4	4.2x3.5	0,06		0,05		0,05		0,04		0,04		0,04		0,04	
	BO5	5.1x3.6	0,13		0,11		0,10		0,08		0,08		0,08		0,08	
	BR4	4.2x3.3	0,09		0,07		0,06		0,05		0,05		0,05		0,05	
	BT	6 Ø	0,39		0,33		0,28		0,24		0,24		0,24		0,23	
	BO51F	5x3.2	0,15		0,13		0,11		0,09		0,09		0,09		0,09	
	BO71F	8x6	0,22		0,19		0,16		0,14		0,14		0,14		0,13	
	BG	6.3x8.2	0,30		0,26		0,22		0,19		0,19		0,19		0,18	
	BSF	12.4x3.8	0,12		0,10		0,09		0,07		0,07		0,07		0,07	
	BOST	7.8x2.7	0,10		0,09		0,08		0,07		0,06		0,06		0,06	
	BOST2	7x2.8	0,07		0,06		0,05		0,04		0,04		0,04		0,04	

Caoutchouc Caps

	TC2	Ø 2	0,37		0,32		0,27		0,24		0,23		0,22		0,21	
	TC3	Ø 3	0,49		0,42		0,34		0,30		0,29		0,29		0,27	
	TC4	Ø 4	0,61		0,53		0,43		0,38		0,37		0,36		0,34	

Caps with Rings

	TP3,0	6x3	0,24		0,21		0,18		0,16		0,15		0,15		0,14	
	TP4,0	8.4x4	0,40		0,35		0,30		0,26		0,25		0,25		0,23	
	TP5,0	9.3x5	0,50		0,45		0,38		0,33		0,32		0,32		0,30	

Basket settings

	CEST1	9,4x3	0,16		0,15		0,11		0,10		0,09		0,09		0,10	
	CEST2	10,4x4,3	0,29		0,27		0,21		0,18		0,17		0,16		0,18	
	CEST3	14x4	0,45		0,41		0,31		0,27		0,26		0,25		0,27	

LOCKS

Italian **Manufacturer** of Gold and Silver Findings:



The Lever Backs



MON1
Classic



MON3
Super Light



MON4
Fashion Light



MON5
Elegant

Orchidea Preziosi S.p.A.

via del Gavardello 59 , 52100 Arezzo - Italy - phone: +39 0575 382566 - fax: +39 0575 984088
e-mail: info@orchideapreziosi.it - web: www.orchideapreziosi.it

METAL	---	→	AU		AU		AU		AU		AU		AU		AG	
KARAT	---	→	917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Lever Backs

	MON1	17,8 x 10,9	0,92		0,85		0,72		0,63		0,61		0,60		0,56	
	MON3	16,7 x 9,6	0,47		0,43		0,33		0,29		0,28		0,27		0,26	
	MON4	16,7 x 9,6	0,62		0,58		0,48		0,42		0,41		0,40		0,38	
	MON5	17,3 x 11,3	1,08		1,07		0,90		0,79		0,76		0,75		0,71	

Earring hooks

	AG	25x18	1,26		1,17		0,99		0,87		0,83		0,82		0,77	
	AGP	22x13	0,69		0,63		0,53		0,46		0,44		0,43		0,42	
	AS	25x18	0,59		0,55		0,46		0,41		0,39		0,38		0,36	
	AF1	18x8 wire 0,6	0,18		0,17		0,14		0,12		0,12		0,11		0,11	
	AF2	19x7,5 wire 0,75	0,24		0,22		0,18		0,16		0,16		0,15		0,14	
	AF3	20,5x10,5 wire 0,75	0,36		0,31		0,26		0,23		0,22		0,22		0,21	
	AF4	20,5x10,5 wire 0,75	0,42		0,36		0,30		0,26		0,26		0,25		0,24	

METAL	---	→	AU		AU		AU		AU		AU		AU		AG	
KARAT	---	→	917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Butterflies

	F3	4.4 x 3 Ø0.65	0,09		0,07		0,06		0,05		0,05		0,05		0,05	
	F4	4.9 x 4 Ø0.9	0,14		0,12		0,11		0,09		0,09		0,09		0,09	
	F4,5	6.1 x 4.5 Ø0.9	0,19		0,17		0,14		0,12		0,12		0,12		0,12	
	F4,5 ORL	6.1 x 4.5 Ø0.75	0,12		0,11		0,09		0,08		0,08		0,08		0,07	
	F5	7.5 x 5 Ø0.9	0,30		0,25		0,22		0,19		0,18		0,18		0,18	
	F5 ORL	7.5x 5 Ø0.9	0,30		0,25		0,22		0,19		0,18		0,18		0,17	
	F6 ORL	6.9x 6 Ø0.9	0,44		0,38		0,32		0,28		0,27		0,27		0,26	
	F7	8.6x7 Ø0.9	0,56		0,48		0,41		0,36		0,35		0,34		0,33	

Pins single notch

	P10	10mm Ø0.9	0,11		0,10		0,09		0,08		0,07		0,07		0,07	
	P11	11mm Ø0.9	0,12		0,11		0,10		0,09		0,08		0,08		0,08	
	P12	12mm Ø0.9	0,13		0,12		0,11		0,10		0,09		0,09		0,09	
	P13	13mm Ø0.9	0,14		0,13		0,12		0,11		0,10		0,10		0,10	
	P13,5	13.5mm Ø0.9	0,14		0,13		0,12		0,11		0,10		0,10		0,10	

Pins double notch

	P11INT	11mm Ø0.9	0,12		0,11		0,10		0,09		0,08		0,08		0,08	
---	---------------	--------------	------	--	------	--	------	--	------	--	------	--	------	--	------	--

Threaded Butterflies

	FVF	Ø 5.0mm	0,35		0,32		0,27		0,24		0,23		0,22		0,21	
	FVS	Ø 3.0mm	0,20		0,18		0,15		0,13		0,13		0,12		0,12	

Threaded Pins

	PV9	9mm Ø0.9	0,10		0,09		0,08		0,07		0,07		0,06		0,06	
	PV10	10mm Ø0.9	0,11		0,10		0,09		0,08		0,07		0,07		0,07	
	PV11	11mm Ø0.9	0,12		0,11		0,10		0,09		0,08		0,08		0,08	
	PV12	12mm Ø0.9	0,13		0,12		0,11		0,10		0,09		0,09		0,09	



Turned Piercings

DRAWING	CODE	750	585	375
	PD6	0,23	0,20	0,17
	PD9	0,27	0,23	0,19
	PP9	0,75	0,64	0,54
	PP6	0,69	0,59	0,50
	SG	0,55	0,47	0,40
	FVF	0,33	0,28	0,24

DRAWING	CODE	750	585	375
	FVC05	0,43	0,37	0,31
	FVS4	0,49	0,42	0,35
	FVCUS	0,31	0,26	0,22
	FVP4	0,5	0,43	0,36
	FVCA3, 0	0,2	0,17	0,14
	FCVA3, 6	0,23	0,20	0,17

METAL	- - - →		AU		AU		AU		AU		AU		AG	
KARAT	- - - →		917 875 800		750		585		417		375		333 925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Pearl Cups

	CP3	Ø 3	0,15	0,14	0,12	0,11	0,10	0,10	0,09
	CP4	Ø 4	0,21	0,19	0,16	0,14	0,14	0,13	0,12
	CP6	Ø 6	0,30	0,27	0,23	0,20	0,19	0,19	0,18
	CP8	Ø 8	0,41	0,38	0,32	0,28	0,27	0,27	0,25

Omega clips

	OMEGA1	19,4 x 7,3	0,97	0,88	0,75	0,65	0,63	0,61	0,59
	OMEGA2	17 x 7,5	0,83	0,77	0,65	0,57	0,55	0,54	0,51
	OF12	17 x 7,4	0,59	0,55	0,46	0,41	0,39	0,38	0,36
	OF14	19 x 7,4	0,64	0,60	0,51	0,44	0,43	0,42	0,40
	OF16	21 x 7,4	0,70	0,65	0,55	0,48	0,46	0,45	0,43

Earring hooks

	G01L	25mm	0,87	0,81	0,68	0,60	0,58	0,57	0,54
	G02	26mm	0,96	0,88	0,73	0,65	0,62	0,62	0,58
	G03	19mm	0,72	0,67	0,56	0,50	0,48	0,47	0,44
	G04	19mm	0,56	0,52	0,44	0,39	0,37	0,36	0,34
	G05	19mm	0,31	0,28	0,24	0,21	0,20	0,20	0,19

METAL			- - - →		AU		AU		AU		AU		AU		AU		AG	
KARAT			- - - →		917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Shields

	S1x8	Ø 8	0,38		0,35		0,29		0,26		0,25		0,25		0,23	
	S1x10	Ø 10	0,46		0,43		0,36		0,32		0,31		0,30		0,28	
	S1x12	Ø 12	0,61		0,56		0,47		0,41		0,40		0,39		0,37	

Earring Bayonets

Flat Wire

	BA0	13,5mm	0,20		0,17		0,15		0,13		0,12		0,12		0,12	
	BA1	14mm	0,21		0,18		0,15		0,13		0,13		0,13		0,12	
	BA2	15,5mm	0,23		0,20		0,17		0,15		0,14		0,14		0,14	
	BA16	16mm	0,23		0,20		0,17		0,15		0,14		0,14		0,14	
	BA19	19mm	0,26		0,23		0,19		0,17		0,16		0,16		0,16	

Round Wire

	BAT0	13,5mm	0,18		0,17		0,14		0,13		0,12		0,12		0,11	
	BAT1	14mm	0,18		0,17		0,14		0,13		0,12		0,12		0,11	
	BAT2	15,5mm	0,21		0,19		0,16		0,14		0,14		0,13		0,13	
	BAT3	12mm	0,24		0,22		0,18		0,16		0,15		0,15		0,14	

Super light – Round wire

	BA1M	14mm	0,16		0,15		0,12		0,11		0,11		0,10		0,10	
	SCA	2,4 x 2,1	0,04		0,04		0,03		0,03		0,03		0,03		0,02	

Soldered Caps

	TAP02	Ø 2	0,04		0,03		0,03		0,02		0,02		0,02		0,02	
	TAP03	Ø 3	0,05		0,04		0,03		0,03		0,03		0,03		0,03	
	TAP04	Ø 4	0,09		0,08		0,07		0,06		0,06		0,06		0,05	
	TAP05	Ø 5	0,12		0,11		0,10		0,09		0,08		0,08		0,08	
	TAP06	Ø 6	0,21		0,19		0,16		0,14		0,14		0,13		0,13	
	TAP07	Ø 7	0,27		0,25		0,21		0,19		0,18		0,18		0,18	
	TAP07C	Ø 7	0,30		0,28		0,24		0,21		0,20		0,20		0,20	

METAL	--- →		AU		AU		AU		AU		AU		AG	
KARAT	--- →		917 875 800		750		585		417		375		333 925	
Style	Code	Size	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr

Half Beads with post

	OPM6	Ø 6	2.1		2.3		2.5		3.1		3.2		3.4		3.1	
---	------	-----	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--

Half Beads with omega

	OPMC8	Ø 8	0.6		0.7		0.85		0.95		1		1.02		1.07	
---	-------	-----	-----	--	-----	--	------	--	------	--	---	--	------	--	------	--

Beads + post

	OR3	Ø 3	4,1		4,8		5,6		6,4		6,6		6,7		6,9	
	OR4	Ø 4	3,2		3,7		4,3		5,0		5,1		5,2		5,4	
	OR5	Ø 5	2,1		2,4		2,8		3,2		3,3		3,4		3,5	
	OR6	Ø 6	1,4		1,6		1,9		2,2		2,2		2,2		2,3	
	OR8	Ø 8	0,7		0,8		0,9		1,1		1,1		1,1		1,1	

Beads + post + Ring

	OP3	Ø 3	3,1		3,6		4,2		4,9		5,0		5,1		5,3	
	OP4	Ø 4	2,4		2,8		3,3		3,8		3,9		4,0		4,2	
	OP5	Ø 5	1,6		1,8		2,1		2,4		2,5		2,5		2,7	
	OP6	Ø 6	1,2		1,4		1,6		1,9		1,9		2,0		2,1	
	OP8	Ø 8	0,6		0,7		0,8		0,9		1,0		1,0		1,0	

*Beads+post+Ring+
Butterfly*

	ORP3	Ø 3	1,9		2,2		2,6		3,0		3,1		3,1		3,3	
	ORP4	Ø 4	1,7		1,9		2,3		2,7		2,7		2,7		2,9	
	ORP5	Ø 5	1,2		1,4		1,6		1,9		1,9		2,0		2,1	
	ORP6	Ø 6	0,9		1,1		1,3		1,5		1,5		1,5		1,6	
	ORP8	Ø 8	0,5		0,6		0,7		0,8		0,9		0,9		0,9	

BEADS HOLE DIAMETERS:

Ø 3,00: 0,90

Ø 4,00: 0,90

Ø 5,00: 0,90

Ø 6,00: 0,90

Ø 8,00: 0,90

LOCKS



BEADS



EARRINGS



CNC and LASER



Italian Manufacturer of Gold and Silver Findings

Orchidea Preziosi S.p.A.
Via del Gavardello, 59 - 52100 Arezzo - Italy
Tel. +39 0575 382566 - Fax +39 0575 984088 - info@orchideapreziosi.it

METAL	---	→	AU		AU		AU		AU		AU		AU		AG	
KARAT	---	→	917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

Bails

	CONTRO 1	8.3mm x 5.4mm	0,33		0,30		0,25		0,22		0,21		0,21		0,19	
	CONTRO 2	7.5mm x 4.5mm	0,23		0,21		0,17		0,15		0,14		0,14		0,13	
	CONTRO 3	6.3mm x 3.4mm	0,12		0,11		0,09		0,08		0,07		0,07		0,07	
	CONTRO 4	3.7mm x 3.7mm	0,05		0,05		0,04		0,03		0,03		0,03		0,03	
	CONTRO 5	5.6mm x 3mm	0,05		0,05		0,04		0,03		0,03		0,03		0,03	
	CONTRO 6	7.5mm x 5.1mm	0,20		0,19		0,15		0,14		0,13		0,13		0,12	

TABELLA DI CONVERSIONE PESO				
WEIGHT CONVERSION TABLE				
750	x	0,69	=	925
750	x	1,17	=	917
750	x	1,10	=	875
750	x	1,07	=	800
750	x	0,85	=	585
750	x	0,74	=	417
750	x	0,72	=	375
750	x	0,71	=	333

METAL			---	→	AU	AU	AU	AU	AU	AU	AG	
KARAT			---	→	917 875 800	750	585	417	375	333	925	
Style	Code	Size	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr

Polished Beads

	PAL1.8L	Ø 1.80	44	47	56	64	66	67	---
	PAL2.0L	Ø 2.00	34.2	37	41.5	46	47	48	50
	PAL2.2L	Ø 2.20	25	27	33	38	39	40	46
	PAL2.5L	Ø 2.50	18.5	20	23	25	26	27	28
	PAL2.8L	Ø 2.80	11.1	12	14.3	16.3	17	17	18.3
	PAL3L	Ø 3	10.4	11.2	13.3	15.2	15.8	16	17
	PAL3.6L	Ø 3.6	7.2	7.8	9.2	10.6	10.9	11.2	10.8
	PAL4L	Ø 4	5.4	5.8	6.6	7.5	7.8	8	9
	PAL5L	Ø 5	2.8	3	3.5	4	4.2	4.4	6
	PAL6L	Ø 6	1.7	1.8	2.1	2.4	2.5	2.6	2.7

Beads with Soldered Link

	PQ3.0	Ø 3	9.3	10	11.5	13	14	15	15
	PQ3.6	Ø 3.6	5.1	5.5	6.5	7.5	7.7	7.9	8.4
	PQ4.0	Ø 4	3.7	4	4.7	5.4	5.5	5.7	7.5
	PQ5.0	Ø 5	2.5	2.7	3.2	3.7	3.8	3.9	5
	PQ6.0	Ø 6	1.6	1.7	2	2.3	2.4	2.4	2.5

Polished 1 Hole Beads

	PAL3L1F	Ø 3-0,9	11.1	12	14	16	16.8	17	17
	PAL4L1F	Ø 4-0,9	6	6.3	7.4	8.5	8.8	9	9
	PAL5L1F	Ø 5-0,9	3.9	4.2	5	5.7	5.8	6	6
	PAL6L1F	Ø 6-0,9	2	2.1	2.4	2.7	2.8	2.9	3
	PAL8L1F	Ø 8-0,9	0.8	0.85	1	1.16	1.2	1.22	1.3

**BEADS HOLE
(polished):**

Ø 1,80 : 0,90
 Ø 2,00 : 0,90
 Ø 2,20 : 1,00
 Ø 2,50 : 1,00 : 1,20
 Ø 2,80 : 1,00
 Ø 3,00 : 1,00 : 1,20 : 1,50
 Ø 3,60 : 1,60
 Ø 4,00 : 1,20 : 1,50 : 1,80
 Ø 5,00 : 1,60 : 1,80 : 2,20 : 2,70
 Ø 6,00 : 1,90 : 2,20 : 2,40 : 2,90 : 3,20

**BEADS HOLE
(with link):**

Ø 3,00 : 1,50
 Ø 3,60 : 1,60
 Ø 4,00 : 1,80
 Ø 5,00 : 2,30
 Ø 6,00 : 2,40

**BEADS HOLE
(1 hole beads):**

Ø 3,00 : 0,90
 Ø 3,60 : 0,90
 Ø 4,00 : 0,90
 Ø 5,00 : 0,90
 Ø 6,00 : 0,90
 Ø 8,00 : 0,90

METAL	---	→	AU	AU	AU	AU	AU	AU	AG	
KARAT	---	→	917 875 800	750	585	417	375	333	925	
Style	Code	Size	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr

Beads+Link+Silicone

	PQS3.0	Ø 3	8,3		9,1		10		11		13		13		12,5	
	PQS3.6	Ø 3.6	4,6		5		5,9		6,7		7,1		7,1		7,7	
	PQS4.0	Ø 4	3,3		3,6		4,2		4,6		4,8		4,8		6,3	
	PQS5.0	Ø 5	2,4		2,6		3,1		3,6		3,7		3,7		4	
	PQS6.0	Ø 6	1,5		1,6		1,9		2,2		2,3		2,3		2,4	

Beads+Silicone

	PALSIL3.0	Ø 3	9,9		10,9		13		14,7		15,3		15,5		16,5	
	PALSIL3.6	Ø 3.6	5,3		5,9		7		7,9		8,3		8,4		8,9	
	PALSIL4.0	Ø 4	3,6		4		4,8		5,4		5,6		5,7		6,1	
	PALSIL5.0	Ø 5	2,5		2,8		3,3		3,8		3,9		4		4,2	
	PALSIL6.0	Ø 6	1,6		1,8		2,1		2,4		2,5		2,5		2,7	

BEADS HOLE

Ø 3,00 : 1,50
Ø 3,60 : 1,60
Ø 4,00 : 1,80
Ø 5,00 : 2,20
Ø 6,00 : 2,90

SILICONE HOLE

Ø 3,00 : 0,30
Ø 3,60 : 0,60
Ø 4,00 : 1,00
Ø 5,00 : 1,20
Ø 6,00 : 2,00

METAL	- - - →		AU	AU	AU	AU	AU	AU	AG
KARAT	- - - →		917 875 800	750	585	417	375	333	925
Style	Code	Size	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr

Slash Beads

	PAL1.8 W	Ø 1.8	50	55	66	75	77	78	---
	PAL2 W	Ø 2	39.9	44	52.2	59.5	61.7	62.5	---
	PAL2.2 W	Ø 2.2	31.7	35	41.6	47.3	49.1	49.7	---
	PAL2.5 W	Ø 2.5	27.2	30	35.6	40.5	42.1	42.6	45.3
	PAL3 W	Ø 3	18.1	20	23.7	27.0	28.0	28.4	30.2
	PAL4 W	Ø 4	8.2	9	10.7	12.2	12.6	12.8	13.6
	PAL5 W	Ø 5	4.5	5	5.9	6.8	7.0	7.1	7.6
	PAL6 W	Ø 6	2.7	2.9	3.4	3.9	4.1	4.1	4.4

C Beads

	PAL1.8 C	Ø 1.8	50	55	66	75	77	78	---
	PAL2 C	Ø 2	39.9	44	52.2	59.5	61.7	62.5	---
	PAL2.5 C	Ø 2.5	23.2	25.5	30.4	34.7	36	36.4	38.7
	PAL3 C	Ø 3	14.5	15.5	18.6	21.1	21.9	22.2	23.6
	PAL4 C	Ø 4	7.9	8.5	10.1	11.6	12	12.1	12.9
	PAL5 C	Ø 5	4.2	4.6	5.4	6.2	6.4	6.5	6.9
	PAL6 C	Ø 6	2.7	2.9	3.4	3.9	4.1	4.1	4.4

Disco Beads

	PAL2.0D	Ø 2	55	60	71	81	84	85	---
	PAL2.5D	Ø 2.5	19.4	21	25	28	29	30	32
	PAL3D	Ø 3	13.4	14.5	16.7	19	19.8	21.5	25
	PAL4D	Ø 4	6.9	7.5	8.8	10.1	10.4	10.7	10.8
	PAL5D	Ø 5	4.6	5	5.9	6.8	7	7.1	6
	PAL6D	Ø 6	1.9	2.1	2.5	2.9	3	3.1	3.2

Faceted Beads

	PAL2.0X	Ø 2	38	42	49	56	58	59	---
	PAL2.5 X	Ø 2.5	26	29	34.1	38.7	40.3	40.8	41.5
	PAL3 X	Ø 3	16.3	18	21.4	24.3	25.2	25.6	27.2
	PAL4 X	Ø 4	8.2	9	10.7	12.2	12.6	12.8	13.6
	PAL5 X	Ø 5	4.6	5	5.9	7	7.2	7.4	7.8
	PAL6 X	Ø 6	3.3	3.6	4.2	4.8	5.0	5.1	5.3

ON REQUEST HOLE:

Ø 1,80 : 0,90
 Ø 2,00 : 0,90
 Ø 2,20 : 1,00
 Ø 2,50 : 1,00 : 1,20
 Ø 3,00 : 1,00 : 1,20 : 1,50
 Ø 4,00 : 1,20 : 1,50 : 1,80
 Ø 5,00 : 1,60 : 1,80 : 2,20 : 2,70
 Ø 6,00 : 1,90 : 2,20 : 2,40 : 2,90 : 3,20

METAL	---	→	AU	AU	AU	AU	AU	AU	AG			
KARAT	---	→	917 875 800	750	585	417	375	333	925			
Style	Code	Size	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr

Stardust Beads

	PAL2.5P	Ø 2.5	15.7		17		20		23		24		25		26	
	PAL3P	Ø 3	10.2		11		13		17.3		17.8		18.3		19	
	PAL4P	Ø 4	5.6		6		7		8		8.3		8.6		8	
	PAL5P	Ø 5	3.1		3.3		3.9		4.5		4.6		4.7		5.5	
	PAL6P	Ø 6	1.9		2		2.1		2.4		2.5		2.6		2.7	

Moon Beads

	PAL2.5M	Ø 2.5	19.4		21		25		29		30		30		32	
	PAL3M	Ø 3	13.9		15		17		20.3		20.8		21.4		22	
	PAL4M	Ø 4	6.5		7		8.2		9.5		9.7		10		10.6	
	PAL5M	Ø 5	3.0		3.2		3.6		4.4		4.6		4.8		6	
	PAL6M	Ø 6	2.6		2.8		3		3.4		3.6		3.8		4	

Slide beads

	PAL2.5S	Ø 2.5	19.4		21		25		29		30		30		32	
	PAL3S	Ø 3	13.9		15		17		20.3		20.8		21.4		22	
	PAL4S	Ø 4	6.5		7		8.2		9.5		9.7		10		10.6	
	PAL5S	Ø 5	3.0		3.2		3.6		4.4		4.6		4.8		6	
	PAL6S	Ø 6	2.6		2.8		3		3.4		3.6		3.8		4	

Velvet Beads

	PAL2.5V	Ø 2.5	15.7		17		20		23		24		25		26	
	PAL3V	Ø 3	10.2		11		13		17.3		17.8		18.3		19	
	PAL4V	Ø 4	5.6		6		7		8		8.3		8.6		8	
	PAL5V	Ø 5	3.1		3.3		3.9		4.5		4.6		4.7		5.5	
	PAL6V	Ø 6	1.9		2		2.1		2.4		2.5		2.6		2.7	


ON REQUEST HOLE:

Ø 2,50 : 1,00 : 1,20
 Ø 3,00 : 1,00 : 1,20: 1,50
 Ø 4,00 : 1,20 : 1,50 : 1,80
 Ø 5,00 : 1,60 : 1,80 : 2,20 : 2,70
 Ø 6,00 : 1,90 : 2,20 : 2,40 : 2,90 : 3,20



FINDINGS AND FASHION

ACCESSORIES



METAL	---→		AU	AU	AU	AU	AU	AU	AG	
KARAT	---→		917 875 800	750	585	417	375	333	925	
Style	Code	Size	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr

Polished Ovals 2 Holes

	OV3L	Ø 3x4.5	6.7		7		7.9		9		9.3		9.5		10	
	OV4L	Ø 4x6.7	2.6		2.8		3.3		3.8		3.9		4		4.2	
	OV5L	Ø 5x7.8	1.8		1.9		2.2		2.5		2.6		2.7		2.8	
	OV6L	Ø 6x10	1.1		1.2		1.4		1.6		1.6		1.7		1.8	

Polished Drop Ovals 2 Holes

	OVG4L	Ø 4x8	2.2		2.4		2.8		3.2		3.3		3.4		3.6	
	OVG5L	Ø 5x10	1.4		1.5		1.7		2		2		2.1		2.2	

Polished Pearl Ovals 2 Holes

	OV6L	Ø 6x9.8	1.1		1.2		1.4		1.6		1.7		1.7		1.8	
---	------	---------	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--

HOLES DIAMETERS:

OVALS	DROP OVALS	PEARL OVALS
Ø 3,00 : 1,10	Ø 4,00 : 0,90	Ø 6,00 : 1,50
Ø 4,00 : 1,10	Ø 5,00 : 1,20	
Ø 5,00 : 1,50		
Ø 6,00 : 1,90		

METAL	- - - →	AU	AU	AU	AU	AU	AU	AG
KARAT	- - - →	917 875 800	750	585	417	375	333	925
Style	Code	Size	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr	Pc/1g €/gr

Slash Ovals

	OV3 W	Ø 3x4.5	10	11	13	15	15.5	15.6	15.7
	OV4 W	Ø 4x6.7	3.9	4.2	5	5.7	5.8	6	6.3
	OV5 W	Ø 5x7.8	2.7	2.8	3.3	3.8	3.9	4	4.2
	OV6 W	Ø 6x10	1.6	1.8	2.1	2.4	2.5	2.6	2.7

Velvet Ovals

	OV3 V	Ø 3x4.5	6.7	7	7.9	9	9.3	9.5	10
	OV4 V	Ø 4x6.7	2.6	2.8	3.3	3.8	3.9	4	4.2
	OV5 V	Ø 5x7.8	1.8	1.9	2.2	2.5	2.6	2.7	2.8
	OV6 V	Ø 6x10	1.1	1.2	1.4	1.6	1.6	1.7	1.8

C Ovals

	OV3C	Ø 3x4.5	10	11	13	15	15.5	15.6	15.7
	OV4C	Ø 4x6.7	4.3	4.7	5.6	6.3	6.6	6.7	7.1
	OV5C	Ø 5x7.8	2.7	2.8	3.3	3.8	3.9	4	4.2
	OV6C	Ø 6x10	1.6	1.8	2.1	2.4	2.5	2.6	2.7

HOLES DIAMETERS:

OVALS

Ø 3,00 : 1,10

Ø 4,00 : 1,10

Ø 5,00 : 1,50

Ø 6,00 : 1,90

METAL	---		→		AU		AU		AU		AU		AU		AU		AG	
KARAT	---		→		917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

A – Line



BAL8A D2	8mm	0,40	0,37	0,31	0,27	0,26	0,26	0,25
BAL10A D2	10mm	0,67	0,62	0,52	0,46	0,44	0,43	0,41
BAL12A D2	12mm	0,92	0,85	0,72	0,63	0,61	0,60	0,56
BAL14A D2	14mm	1,24	1,15	0,97	0,85	0,82	0,81	0,76
BAL16A D2	16mm	1,63	1,51	1,27	1,12	1,07	1,06	1,00
BAL18A D2	18mm	2,06	1,91	1,61	1,41	1,36	1,34	1,26

B – Line



BAL8B D13	8mm	0,39	0,36	0,30	0,27	0,26	0,25	0,24
BAL10B D13	10mm	0,63	0,58	0,49	0,43	0,41	0,40	0,38
BAL12B D13	12mm	0,89	0,82	0,69	0,61	0,59	0,58	0,54
BAL14B D13	14mm	1,10	1,02	0,86	0,76	0,73	0,72	0,68
BAL16B D13	16mm	1,65	1,53	1,29	1,13	1,09	1,08	1,01
BAL18B D13	18mm	1,98	1,83	1,54	1,35	1,30	1,29	1,21

HOLE SIZE mm:

Ø 8 : 0,80 Ø 10 : 1,00 Ø 12 : 1,50
Ø 14 : 1,80 Ø 16 : 2,10 Ø 18 : 2,50

METAL	---→		AU		AU		AU		AU		AU		AG	
KARAT	---→		917 875 800		750		585		417		375		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

C – Line



BAL8C D2	8mm	0,37	0,34	0,29	0,25	0,24	0,24	0,23
BAL10C D2	10mm	0,69	0,64	0,54	0,47	0,46	0,45	0,42
BAL12C D2	12mm	0,79	0,73	0,62	0,54	0,52	0,51	0,48
BAL 14C D2	14mm	1,04	0,96	0,81	0,71	0,68	0,67	0,64
BAL 16C D2	16mm	1,68	1,56	1,31	1,15	1,11	1,10	1,03
BAL 18C D2	18mm	2,16	2,00	1,69	1,48	1,43	1,41	1,32

D – Line



BAL 8D D2	8mm	0,37	0,34	0,29	0,25	0,24	0,24	0,23
BAL 10D D2	10mm	0,59	0,55	0,46	0,41	0,39	0,38	0,36
BAL 12D D2	12mm	0,96	0,89	0,75	0,66	0,64	0,63	0,59
BAL 14D D2	14mm	1,21	1,12	0,94	0,83	0,80	0,79	0,74
BAL 16D D2	16mm	1,65	1,53	1,29	1,13	1,09	1,08	1,01
BAL 18D D2	18mm	2,14	1,98	1,67	1,46	1,41	1,39	1,31

HOLE SIZE mm:

Ø 8 : 0,80 Ø 10 : 1,00 Ø 12 : 1,50
Ø 14 : 1,80 Ø 16 : 2,10 Ø 18 : 2,50

METAL	---	→	AU		AU		AU		AU		AU		AU		AG	
KARAT	---	→	917 875 800		750		585		417		375		333		925	
Style	Code	Size	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr	Gr	€/gr

E – Line



BAL 8E	8mm	0,54		0,50		0,42		0,37		0,36		0,35		0,33	
BAL 10E	10mm	0,86		0,80		0,67		0,59		0,57		0,56		0,53	
BAL 12E	12mm	1,05		0,97		0,82		0,72		0,69		0,68		0,64	
BAL 14E	14mm	1,41		1,30		1,10		0,96		0,93		0,92		0,86	
BAL 16E	16mm	1,93		1,79		1,51		1,32		1,27		1,26		1,19	
BAL 18E	18mm	2,38		2,20		1,85		1,63		1,57		1,55		1,46	

F – Line



BAL 8F	8mm	0,52		0,48		0,40		0,36		0,34		0,33		0,32	
BAL 10F	10mm	0,89		0,82		0,69		0,61		0,59		0,58		0,54	
BAL 12F	12mm	1,22		1,13		0,95		0,83		0,81		0,80		0,75	
BAL 14F	14mm	1,67		1,55		1,31		1,15		1,11		1,09		1,03	
BAL 16F	16mm	2,23		2,06		1,74		1,52		1,47		1,45		1,36	
BAL 18F	18mm	2,79		2,58		2,17		1,90		1,84		1,81		1,71	

HOLE SIZE mm:

Ø 8 : 0,80 Ø 10 : 1,00 Ø 12 : 1,50
Ø 14 : 1,80 Ø 16 : 2,10 Ø 18 : 2,50

METAL	---	→	AU	AU	AU	AU	AU	AU	AG	
KARAT	---	→	917 875 800	750	585	417	375	333	925	
Style	Code	Size	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr	Pc/1g	€/gr

D1 Tube

	TD1.8D1	1.8 x 6	14.3	16.7	20	25	25	25	25
	TD2.0D1	2 x 6	12.5	14.3	16.7	20	20	20	20
	TD2.5D1	2.5 x 6	12.5	14.3	16.7	20	20	20	20

D2 Tube

	TD1.8D2	1.8 x 6	14.3	16.7	20	25	25	25	25
	TD2.0D2	2 x 6	12.5	14.3	16.7	20	20	20	20
	TD2.5D2	2.5 x 6	12.5	14.3	16.7	20	20	20	20

D3 Tube

	TD1.8D3	1.8 x 6	16.7	20	25	25	25	25	33.3
	TD2.0D3	2 x 6	14.3	16.7	20	25	25	25	25
	TD2.5D3	2.5 x 6	14.3	16.7	20	25	25	25	25

D4 Tube

	TD1.8D4	1.8 x 6	16.7	20	25	25	25	25	33.3
	TD2.0D4	2 x 6	14.3	16.7	20	25	25	25	25
	TD2.5D4	2.5 x 6	14.3	16.7	20	25	25	25	25

Diamond Cut Wire

			Gr/1m	Gr/1m	Gr/1m	Gr/1m	Gr/1m	Gr/1m	Gr/1m
	FD1 0.30	0,3 mm	0,99	0,90	0,76	0,67	0,64	0,63	0,60
	FD1 0.40	0,4 mm	1,54	1,40	1,17	1,03	0,99	0,98	0,92
	FD1 0.50	0,5 mm	2,42	2,20	1,84	1,62	1,56	1,54	1,45
	FD1 0.60	0,6 mm	3,96	3,60	3,02	2,66	2,55	2,52	2,37
	FD1 0.70	0,7 mm	4,62	4,20	3,51	3,10	2,98	2,94	2,76
	FD1 0.80	0,8 mm	5,94	5,40	4,53	3,99	3,83	3,78	3,56
	FD1 1.00	1,0 mm	7,90	7,20	6,10	5,40	5,10	5,00	4,80
	FD1 1.20	1,2 mm	9,00	8,10	6,80	6,00	5,80	5,70	5,40
	FD1 1.50	1,5 mm	11,30	10,20	8,60	7,60	7,30	7,20	6,80

Tube HOLE:

Ø 1.80 : 1.20

Ø 2.00 : 1.50

Ø 2.50 : 1.90

Tube LENGHT:

D1: 6 mm

D2: 6 mm

D3: 6 mm

D4: 6 mm




specialization:

Findings Producer




Two decorative spheres, one with a grid pattern and one with a faceted design.




Round Hole



 Code CC4 hole Ø 3,1 length 12,6 mm gr. 1,5	 Code CC5 hole Ø 3,7 length 12,4 mm gr. 1,9	 Code CC6 hole Ø 4,65 length 12,8 mm gr. 2,8
 Code CC30 hole Ø 4,8 length 12,8 mm gr. 2,7	 Code CC31 hole Ø 5,40 length 12,8 mm gr. 3,4	 Code CC32 hole Ø 6,80 length 14,9 mm gr. 4,4
 Code CC33 hole Ø 4,0 length 12 mm gr. 2,6	 Code CC34 hole Ø 5,6 length 12,2 mm gr. 3,2	 Code CC35 hole Ø 4 length 9,8 mm gr. 1,5
 Code CC36 hole Ø 4,80 length 12,2 mm gr. 3,0	 Code CC37 hole Ø 5,40 length 13,8 mm gr. 4,0	 Code CC38 hole Ø 6,20 length 15,8 mm gr. 6,2




Flat Hole



 Code CC44 hole Ø 7,00 x 5,30 length 11 mm gr. 3,2	 Code CC45 hole Ø 3,60x1,90 length 10,14 mm gr. 2,5	 Code CC47 hole Ø 7,90x3,90 length 11 mm gr. 5,2
 Code CC49 hole Ø 5,00x2,00 length 14 mm gr. 2,8	 Code CC50 hole Ø 6,00x2,50 length 14 mm gr. 3,3	 Code CC57 hole Ø 6,30x3,20 length 9 mm gr. 2,7

With Ring




 Code CC10 ring Ø 2,4 length 12 mm gr. 1,0	 Code CC11 ring Ø 2,5 length 15,6 mm gr. 2,4	 Code CC12 ring Ø 2,5 length 18,9 mm gr. 3,6
 Code CC13 ring Ø 2,5 length 18,7 mm gr. 3,3	 Code CC14 ring Ø 2,5 length 20,7 mm gr. 5,9	

METAL	AU	AU	AU	AU	AU	AU	AG
FINENESS	917 875 800	750	585	417	375	333	925
CALO/LOSS							

Baby Tags Details

Thickness	Code	Size	Weight gr.	Weight gr.	Weight gr.	Weight gr.	Weight gr.	Weight gr.	Weight gr.
0,5 mm	TAR 17-1	17x4.6	0,47	0,43	0,36	0,32	0,30	0,30	0,29
	TAR 17-2	17x4.3	0,57	0,52	0,44	0,38	0,37	0,36	0,35
	TAR 17-3	17x4	0,51	0,47	0,40	0,35	0,33	0,32	0,32
	TAR 17-4	17x4.2	0,58	0,53	0,45	0,39	0,38	0,37	0,36
	TAR 19-1	19x5.4	0,59	0,54	0,46	0,40	0,39	0,38	0,36
	TAR 19-2	19x5.5	0,70	0,64	0,55	0,47	0,46	0,45	0,43
	TAR 19-3	19x5	0,70	0,64	0,55	0,47	0,46	0,45	0,43
	TAR 19-4	19x5.5	0,81	0,74	0,63	0,54	0,53	0,52	0,50
	TAR 24-1	24x5.9	0,80	0,73	0,62	0,54	0,52	0,51	0,49
	TAR 24-2	24x3.7	1,06	0,97	0,82	0,72	0,69	0,68	0,65
	TAR 24-3	24x6	1,06	0,97	0,82	0,72	0,69	0,68	0,65
	TAR 24-4	24x6	1,10	1,00	0,85	0,74	0,72	0,70	0,68
0,6 mm	TAR 28-1	28x5.1	1,32	1,20	1,02	0,88	0,86	0,84	0,80
	TAR 28-2	28x5.4	1,24	1,13	0,96	0,83	0,81	0,79	0,76
	TAR 28-3	28x5.6	1,21	1,10	0,93	0,81	0,79	0,77	0,74
	TAR 28-4	28x5.1	1,20	1,09	0,92	0,80	0,78	0,76	0,73
	TAR 28-5	28x5.4	1,13	1,03	0,87	0,76	0,74	0,72	0,69
	TAR 28-6	28x5.6	1,04	0,95	0,80	0,70	0,68	0,66	0,64
	TAR 28-7	28x5.1	1,26	1,15	0,97	0,85	0,83	0,80	0,77
	TAR 28-8	28x5.4	1,20	1,09	0,92	0,80	0,78	0,76	0,73
	TAR 28-9	28x5.6	1,10	1,00	0,85	0,74	0,72	0,70	0,67
	TAR 28-10	28x5.1	1,29	1,18	1,00	0,87	1,30	0,82	0,79
	TAR 28-11	28x5.4	1,23	1,12	0,95	0,83	0,80	0,78	0,75
	TAR 28-12	28x5.6	1,13	1,03	0,87	0,76	0,74	0,72	0,69
	TAR 30-1	30x2.6	1,99	1,81	1,53	1,33	1,30	1,26	1,10
	TAR 30-2	30x6.4	1,66	1,51	1,28	1,11	1,08	1,05	1,01
	TAR 30-3	30x6.7	1,64	1,49	1,26	1,10	1,07	1,04	1,00
	TAR 30-4	30x2.6	1,70	1,55	1,31	1,14	1,11	1,08	1,04
	TAR 30-5	30x6.4	1,56	1,42	1,20	1,05	1,02	0,99	0,95
	TAR 30-6	30x6.7	1,54	1,40	1,19	1,03	1,00	0,98	0,94
	TAR 30-7	30x2.6	1,76	1,60	1,36	1,18	1,15	1,12	1,08
	TAR 30-8	30x6.4	1,76	1,60	1,36	1,18	1,15	1,12	1,07
	TAR 30-9	30x6.7	1,63	1,48	1,25	1,09	1,06	1,03	0,99
	TAR 30-10	30x2.6	1,76	1,60	1,36	1,18	1,15	1,12	1,07
	TAR 30-11	30x6.4	1,60	1,46	1,24	1,08	1,05	1,02	0,98
	TAR 30-12	30x6.7	1,59	1,45	1,23	1,07	1,04	1,01	0,97
no	SALT 1,7	1.7x5.5	0,10	0,09	0,08	0,07	0,06	0,06	0,06
	SALT 2,4	2.4x5.5	0,12	0,11	0,09	0,09	0,08	0,07	0,07
	SALT 3,5	3.5x6.0	0,31	0,28	0,23	0,20	0,20	0,19	0,18
	SALT 5,5	2.4x5.5	0,55	0,50	0,42	0,37	0,36	0,35	0,34



spessore 0.60mm



spessore 0.50mm

www.orchideapreziosi.it



Italian Manufacturer of Gold and Silver Findings:



We realize **your idea**
with our **technology**



All the customer designs are developed and kepted exclusively for them.

Orchidea Preziosi S.p.A.

via del Gavardello 59, 52100 Arezzo - Italy - phone: +39 0575 382566 - fax: +39 0575 984088
e-mail: info@orchideapreziosi.it - web: www.orchideapreziosi.it

LOCKS



BEADS



EARRINGS



CNC and LASER



TECH IS US